IN THE CLAIMS:

Please amend the claims to read as follows:

- -- 1. (Currently Amended) A <u>composition</u> compound for the amelioration of the effects of pseudofolliculitis, for topical application to the effected skin area consisting of[;]:
 - a) an absorbent skin astringent;
 - b) an absorbent epidermal softening agent;
 - c) an absorbent hair stiffening agent;
 - d) gamma linolenic acid (GLA); and
- e) the entire as a mixture compounded in an oil based carrier for promoting absorption into the surface of the skin.
- 2. (Currently Amended) The <u>composition</u> compound in claim 1, wherein the GLA would be provided in the form of borage oil or evening primrose oil.
- 3. (New) The composition in claim 1, wherein the GLA would be provided in the form of evening primrose oil.
- 4 3. (Currently Amended) The <u>composition compound</u> in claim 1 2, wherein the <u>gamma</u> <u>linolenic acid</u> GLA would be provided in an amount ranging between 0.5 and 20.0% of <u>gamma</u> linolenic acid GLA.
- 54. (Currently Amended) The <u>composition</u> compound as described in Claim 1 above further consisting of an effective amount of antioxidant preservative;
 - a) an effective amount of an anti-oxidant preservative.
- <u>6</u> 5. (Currently Amended) A <u>composition</u> compound for topical application to the skin for the amelioration of the effects of pseudofolliculitis consisting of:
- a) an absorbent skin astringent in a quantity <u>in excess of 20% of total compound</u> of a little over two parts in ten;
- b) an absorbent epidermal softening agent in a quantity of 30% of total compound approximately three parts in ten;

- c) an absorbent hair stiffening agent in an effective amount of 1% in total compound approximately one part in one hundred;
- d) gamma linolenic acid (GLA) in an effective amount between 0.5 and 20.0% of the compound; and
- e) the entire as a mixture compounded in an oil based carrier for promoting absorption into the surface of the skin in an effective amount of approximately four parts in ten.
- 7 6. (Currently Amended) A <u>composition compound</u> for the amelioration of the effects of pseudofolliculitis, for topical application to the affected skin area <u>consisting of comprising</u> at least a blended mixture of[;]:
 - a) an absorbent skin astringent;
 - b) an absorbent epidermal softening agent; and
 - c) gamma linolenic acid (GLA).
- <u>8</u> 7. (Currently Amended) The <u>composition</u> compound in claim 6, wherein the gamma linolenic acid (GLA), comprises between 0.5 and 20.0% of the compound.
- 28. (Currently Amended) A method for the amelioration of the effects of pseudofolliculitis in a susceptible; shaving individual comprising, in each 24 hour period day of use;
- a) applying a quantity of the compound described in Claim 5 above to the bearded area of the face;
- b) massaging said compound until a substantially complete absorption into the skin of the face occurs;
 - c) shaving;
 - d) rinsing the face with cool water;
 - e) drying the face of all surface water;
- f) applying a quantity of the compound described in Claim 5 4 above to the bearded area of the face; and

Appl. No. 10/659,075 Response dated February 28, 2005 Reply to Office Action of Sep. 30, 2004

- g) massaging of said compound until substantially complete absorption into the skin of the face has occurred.
- 10. (New) A composition for the amelioration of the effects of pseudofolliculitis, for topical application to the affected skin area comprising at least a blended mixture of:
 - a) an astringent;
 - b) an epidural softening agent; and
 - c) a hair stiffening agent in an absorption promoting oil based carrier.